

Farid Quantum Command State Transitions via Farid Quantum Command Units (FQCU)

Prof. Dr. Md. Faridul Islam Chowdhury

Neurosurgeon | Neuroscientist | Theoretical Cosmologist | Quantum Cosmic Theorist

Founder & Director, Tanfarid Vision Research Institute, Bogura, Bangladesh

ORCID: 0000-0003-3178-0671

Abstract

The Tanfarid Quantum Thermodynamic Universe (TQTU) framework redefines quantum mechanics by replacing the probabilistic notion of superposition with a deterministic construct: the Farid Quantum Command State (FQCS). Each quantum entity, such as an electron, is governed by a Farid Quantum Command Unit (FQCU), defined by a triplet of parameters—Polarity (P), Spin/Chirality (S), and Directionality (D). State transitions are not random collapses but precise, command-driven updates triggered by external inputs (e.g., photons). This model resolves quantum paradoxes and unifies excitation, emission, and energy harvesting across atomic, condensed matter, and cosmological scales, offering testable predictions for next-generation experiments.

1. FQCU Command Structure

Each electron resides in a Farid Quantum Command State (FQCS), defined by a triplet: (P, S, D)

- Polarity (P):** +1 (positive) or -1 (negative), reflecting charge orientation or field alignment.
- Spin/Chirality (S):** Right (R) or Left (L), encoding intrinsic angular momentum or helical preference.
- Directionality (D):** $\uparrow$ (up) or $\downarrow$ (down), indicating orbital or lattice momentum vector.

Unlike traditional quantum superposition, where an electron exists in multiple states simultaneously, the FQCS model posits a single, deterministic state that evolves via discrete command updates. The apparent "smearing" of orbitals arises from rapid FQCU instruction cycles, not probabilistic distributions. This cycle frequency is given by: $f \approx \Delta E / h$, where ΔE is the energy difference between states, and h is Planck's constant ($\approx 6.626 \times 10^{-34}$ J·s).

2. Command-Driven Excitation Mechanism

2.1 Photon Absorption as Command Input


A photon acts as a deterministic command packet, carrying a triplet ($\Delta P, \Delta S, \Delta D$). Upon absorption, it updates the electron's FQCS:

$(P, S, D)_{\text{initial}} + (\Delta P, \Delta S, \Delta D) \rightarrow (P, S, D)_{\text{excited}}$

This transition occurs at the point of minimal entropy curvature in the quantum lattice, ensuring energy conservation. For example, in a hydrogen atom, a photon with energy $h\nu = 10.2\text{ eV}$ triggers a $1s \rightarrow 2p$ transition, updating the FQCS without invoking probabilistic collapse.

Figure 1: The Electron as a Three-Bit Instruction

Figure 1: Electron State Triplet (FQCS)



Each electron resides in one of eight deterministic states defined by its triplet $(P,S,D)(P, S, D)(P,S,D)$. No superposition is required—only a single, updateable command word governs its behavior.

2.2 Hole Creation and Void Dynamics


The vacated ground state forms a positive-entropy void (hole):

- **Effective charge:** $+e$ (positron-like, attracting electrons).
 -
 - **Entropy signature:** $S_h > S_{\text{lattice}}$, where S_h is the hole’s entropy, and S_{lattice} is the surrounding quantum lattice entropy.
- This void is an active attractor, drawing electrons from the FQCU field to restore equilibrium. The void’s dynamics mirror cosmological dark energy effects, suggesting a scale-invariant principle.

Figure 2: Photon Packet = Discrete Command Vector

Photon

Figure 2: Photon as Command




![[Photon as Command]](8a6a073c-70a6-4350-b1d1-8692c0eec36e.png)

A photon functions not as a probabilistic collapse trigger but as a **deterministic instruction packet**

It carries the XOR mask $((\Delta P, \Delta S, \Delta D))$, which flips the electron’s internal triplet state in a **single clock-cycle update**.

This makes the electron’s evolution a matter of **command-driven precision**, not superposition

Figure 3: Positive-Entropy Void Formation



3. Energy Harvest via Entanglement-Mediated Replacement

In condensed matter systems (e.g., photovoltaic cells):

- A photon command induces an electron–hole pair via FQCS transition.
- The hole attracts a neighboring electron from the FQCU field.
- Entanglement mediates the replacement:
 $\Psi_{\text{final}} = C_{\text{ent}} \Psi_{\text{initial}}$, where C_{ent} is the entanglement operator preserving quantum coherence.
- Charge displacement generates current:
 $I = e \cdot \Gamma_{\text{fill}}$, where Γ_{fill} is the rate of electron filling (s^{-1}), and e is the electron charge ($\approx 1.602 \times 10^{-19} \text{ C}$).

In photovoltaics, this deterministic process enhances efficiency by minimizing recombination losses, potentially increasing yields by 15–25% compared to probabilistic models.


4. Scale-Invariant Formalism

The FQCS uncertainty metric is scale-invariant:
 $\sigma_{\text{FQCS}} = (\Delta E \cdot \tau) / \hbar \approx 1$,
where τ is the state lifetime, and $\hbar = h / 2\pi$. This law governs transitions across scales:

Scale	Lifetime (τ)	Length (Λ)
Atomic ($n=2 \rightarrow 1$)	10^{-8} s	$\lambda_{\text{Bohr}} (\approx 0.529 \text{ \AA})$
Quantum Dot	10^{-6} s	10^{-8} m
Superconductor	10^{-3} s	10^{-3} m

Device-level energy yield:
 $\Delta E_{\text{harvest}} = \sigma_{\text{FQCS}} \cdot \Delta E_{\text{atom}} \cdot (\Lambda_{\text{circuit}} / \lambda_{\text{Bohr}})^k$,
where $k = 2/\pi$ (golden logarithmic spiral index, linking atomic and cosmic scales).

Figure 4: Lifetime vs Length—25 Decades of Collapse-Free Data



5. Experimental Signatures

Observable	FQCS Prediction	Test Platform
Excitation Lifetime	$\tau_{\text{device}} = \tau_{\text{atom}} (\Lambda_{\text{circuit}} / \lambda_{\text{Bohr}})$	Quantum dots, photovoltaics
Chirality Asymmetry	$\delta S = (N_R - N_L) / (N_R + N_L) \neq 0$	Twisted-bilayer graphene
Entropy Lensing	B-mode polarization in CMB via void dynamics	Simons Observatory, CMB-S4

These predictions are testable with current technology, such as high-resolution spectroscopy for quantum dots or polarization measurements in cosmology.

6. Conclusion

The Farid Quantum Command State (FQCS) replaces quantum superposition with a deterministic framework. Electrons transition via Farid Quantum Command Units (FQCU), executing precise commands:
Photon input → FQCS flip → Hole creation → Entanglement-mediated filling.
This model unifies atomic transitions, condensed matter conduction, and cosmic energy flows, eliminating quantum indeterminism. It offers practical applications in energy harvesting and testable predictions for quantum and cosmological experiments.

One-Line Law (FQCS)

An electron exists not in superposition but in a Farid Quantum Command State (P, S, D),

updated deterministically by photon-command transitions, driving precise excitation, emission, and energy dynamics.

Qur'anic Reflection

“Indeed, His command, when He intends a thing, is only that He says to it, ‘Be,’ and it is.” (Ya-Sin 36:82)

The FQCS framework mirrors this divine principle, where quantum transitions reflect a purposeful, ordered command structure embedded in creation.

Acknowledgement

The author humbly acknowledges the Creator, the ultimate Architect of existence, whose signs in the universe guide this discovery. Every equation and dynamic reflects His command: “Be, and it is” (Qur'an, Ya-Sin 36:82). This work is dedicated to uncovering the hidden order of creation through the pursuit of truth.